Title: OPTICAL DISK APPARATUS Inventors: Y. Tokita et al.

Docket No.: YKIA121430




Fig. 1

Title: OPTICAL DISK APPARATUS
Inventors: Y. Tokita et al.
Docket No.: YKIA121430




Fig. 2

Title: OPTICAL DISK APPARATUS
Inventors: Y. Tokita et al.
Docket No.: YKIA121430




Fig. 3

Title: OPTICAL DISK APPARATUS Inventors: Y. Tokita et al.

Docket No.: YKIA121430




Fig. 4

Title: OPTICAL DISK APPARATUS
Inventors: Y. Tokita et al.
Docket No.: YKIA121430




Fig. 5

Title: OPTICAL DISK APPARATUS
Inventors: Y. Tokita et al.

Docket No.: YKIA121430




Fig. 6

Inventors: Y. Tokita et al. Docket No.: YKIA121430 Α -S206 SUBJECT OTHER 16 FRAMES TO RECORDING IDENTICAL WITH THAT PERTAINING TO S203 S207 OVERWRITE ONE FRAME ON EACH OF 16 RECORDED FRAMES AT 0.5 mW INTERVALS FROM 9.0 mW TO 16.5 mW S208 MEASURE JITTER OF 16 **OVERWRITTEN FRAMES** S209 DETERMINE DIFFERENCE BETWEEN JITTERS MEASURED IN S205 AND S208 FOR IDENTICAL POWER LEVELS S210 DETERMINE MINIMUM POWER Po WHERE JITTER DIFFERENCE BECOMES SMALLER THAN OR EQUAL TO THRESHOLD VALUE S211 RECORD DATA AT Po

Title: OPTICAL DISK APPARATUS

Fig. 7

END




Fig. 8